

**AL-KO** IRS AXLES

Simple and effective engineering. The hexagonal axle tube houses three rubber elements held in place by a triple fluted inner tube. Suspension movement between bump and rebound rolls the rubber elements providing dampening of road shocks. IRS axles are manufactured to order. Contact us for a quote.

**AL-KO** AXLE BEAMS  
39MM ROUND

1345mm	035998
1397mm	035999
1499mm	036000
1524mm	036001
1549mm	036002
1575mm	036003
1600mm	036004
1626mm	036005
1650mm	036006
1676mm	036007
1702mm	036008
1778mm	036009
1804mm	036010
1905mm	036011
1930mm	036012
1956mm	036013

**AL-KO** STUB AXLES  
ROUND

39mm x 205mm overall short round	036078
39mm x 250mm overall long round	036079
45mm x 205mm heavy duty round	036081
45mm x 240mm long heavy duty round	036082
45mm x 280mm long heavy duty round	036083

**AL-KO** AXLE BEAMS  
40MM SQUARE

1346mm	036014
1397mm	036015
1448mm	036016
1499mm	036018
1549mm	036020
1575mm	036021
1600mm	036022
1625mm	036023
1650mm	036024
1676mm	036025
1702mm	036026
1727mm	036027
1753mm	036028
1778mm	036029
1804mm	036030
1829mm	036031
1854mm	036032
1880mm	036033
1905mm	036034
1930mm	036035
1956mm	036036
1981mm	036037
2007mm	036038
2032mm	036039
2057mm	036040
2108mm	036042
2134mm	036043
2159mm	036044
2184mm	036045
2210mm	036046
2235mm	036047
2261mm	036048
2286mm	036049
2311mm	036050
2337mm	036051
2362mm	036052
2388mm	036053
2413mm	036054
2438mm	036055

**AL-KO** STUB AXLES  
SQUARE

45mm sq 205mm	036080
45mm sq 305mm	036086
40mm sq 205mm overall short	036084
40mm sq 300mm overall long	036085

**AL-KO** AXLE BEAMS  
45MM SQUARE  
1400KG

1600mm	036059
1625mm	036060
1650mm	036061
1676mm	036062
1702mm	036063
1727mm	036064
1778mm	036065
1829mm	036066
1905mm	036067
1956mm	036068
1980mm	036069
2032mm	036070
2108mm	036071
2185mm	036072
2210mm	036073
2260mm	036074
2286mm	036075
2362mm	036076
2440mm	036077

**AL-KO** AXLE NUT,  
WASHER AND PIN  
KIT

Pre-packed. 2 per card	038757
Slotted axle nut	006549
Axle washer	006550
Axle cotter pin 40 x 3.2mm	006551

**AL-KO** BRAKE  
ASSEMBLY PLATE  
MECHANICAL

230mm x 45mm RH (off side)	006340
230mm x 45mm LH (near side)	006341

## AL-KO NON BRAKED HUBS GALVANISED



Complete with bearings and seals.

HT Holden	036102
HT Velox	036103
Ford	036104
HQ Holden	036105
Commodore	036106

## AL-KO NON BRAKED HUBS



Complete with bearings and seals in a variety of stud patterns

HT Holden	036087
Mini	036088
Ford Falcon 4 Stud 1/2"	036089
Datsun 4 Stud 7/16"	038099
Landcruiser 6 Stud HD	036090
Cortina 4 Stud	038100
Ford Falcon 5 Stud	036091
HT Velox Small Flange	036092
HQ Holden	036093
Blank 150mm Std	036094
F100 HD	038101
HT Special HD	036095
Ford Special HD	036096
HQ Special HD	036097
Landcruiser 5 Stud HD	036098
Commodore	036099
Landcruiser 6 Stud Holden	036101
<b>Boxed Kits</b>	
HQ Holden	038751
HT Holden	038752
Ford 5 Stud	038753

## AL-KO BRAKE ASSEMBLY PLATE HYDRAULIC



With mechanical park brake. 230mm x 45mm	
Without park brake. 230mm x 45mm	
LH	036107
RH	036108

## BRAKE ASSEMBLY PLATES ELECTRIC



With mechanical park brake. 250mm x 56mm

LH	Alko	006334
RH	Alko	006333
LH	Offroad	036111
RH	Offroad	036112
RH	Trailtech	036113
LH	Trailtech	036114

## BRAKE MOUNTING PLATES MECHANICAL / ELECTRICAL



40mm round hole	006395
45mm round hole	006397



40mm square hole	036115
------------------	--------

## BRAKE MOUNTING PLATES HYDRAULIC



40mm	006359
45mm	036116
Bolt and nut 1 x 7/16 UNF	
suit adaptor plate	036117
Nut only 7/16 UNF	006336

## MECHANICAL / HYDRAULIC DISC BRAKE HUBS



HT Holden	036149
Ford	036150
HQ Holden	036151

## MECHANICAL/HYDRAULIC DISC BRAKE HUBS GALVANISED



HT Holden	036166
Ford	036167
HQ Holden	036168
Commodore	036169
HT Velox	036170

**Boxed Sets** complete with Slimline Bearings

HT Holden	038754
Ford	038755

## AL-KO HUB DRUMS



Complete with studs, nuts, seals, bearings and grease cap.


### 230mm Mechanical and Hydraulic ME9

HT Holden	036118
Ford	036119
HQ Holden	036120
Slimline Toyota Landcruiser 6 stud	036121
Slimline Toyota Landcruiser 5 stud	036122
Slimline Ford	036123

### 250mm Electric ME12

HT Alko	036124
HQ Alko	036126
Toyota Landcruiser 6 stud	036127
Toyota Landcruiser 5 stud	036128
Ford Slimline	036129

## MECHANICAL DISC BRAKE CALIPERS



Adaptor Plate 40mm	036147
Mounting Bolt Alko	036158
Return Spring	036159
Pressure Pad Alko	036160
Brake Pad	036161
Mounting Bush S/S Alko	036163

## AL-KO MECHANICAL DISC BRAKE CALIPERS



Forward Pull

Centre Pull

**Forward pull:** For use on beam axles

A100M **036145**

Boxed Set of 2 **038761**

**Centre pull:** For use with IRS **036146**

## HYDRAULIC DISC BRAKE CALIPER



Trigg Marinised **036153**

Brake Pad Trojan **036162**

## AL-KO HYDRAULIC DISC BRAKE CALIPERS



Suitable for installations where more than one axle is used. Can be operated using hydraulic override couplings. Suitable for 12mm to 15mm. Box of 2. **038762**

Slide Pin Kit. Pack of 1 **038764**

## AL-KO HYDRAULIC DISC BRAKE PADS



Pack of 2 **038763**

## METAL GREASE CAP



Holden **006568**

Suit 1.5 - 2 tonne axles **006569**

Pack of 2 **038756**


## AL-KO ELECTRIC BRAKE SHOES



254mm x 560mm Primary **006390**

254mm x 560mm Secondary **006391**

## TYPICAL HUB-STUB ASSEMBLY




40mm Axles and Stubs use **STANDARD** Bearings

45mm Axles and Stubs use **SLIMLINE** Bearings

**Note:** Landcruiser, Land Rover and F100 use **SLIMLINE** Bearings.

## ELECTRIC BRAKE MAGNETS



Kelsey Hayes Round Type complete with spring and clip **006379**

Off Road Magnet Oval Type LH **006388**


Off Road Magnet Oval Type RH **006389**

Dexter Oval Type complete with spring and clip **006384**

Kelsey Hayes LH Lever suit Dexter **006386**

Kelsey Hayes RH Lever suit Dexter **006387**

## ELECTRIC BRAKE SPARE PARTS



## HUB CONES AND CUPS



INNER OUTER

### Standard - Holden

Inner Bearing Kit	006553
Inner Cone	036173
Inner Cup	036174
Outer Bearing Kit	006554
Outer Cone	036171
Outer Cup	036172

### Heavy Duty - Ford

Inner Bearing Kit	006555
Inner Cone	036177
Inner Cup	036178
Outer Bearing Kit	006556
Outer Cone	036175
Outer Cup	036176

## BEARING KITS WITH SEAL



4 piece boxed sets to keep in glove box. Comprises cup and cone, seal and grease cap.

Holden	006563
Composite	006562
Ford TWK12	006565
Holden with seal	036183

## SUPER SEALS



Set of 2 hub seals suitable for boat trailers.

Slimline Bearing	036180
Standard Bearing	036181

## OIL SEALS



No.609 suit Standard Bearing	006558
No.610 suit Slimline Bearing	006559

## WHEEL NUTS



7/16" 60° Holden	006638
1/2" 60° Ford	006639
Windsor wheel nut adaptor	006640
5 stud TLC 9/16" 60°	036190

## WHEEL STUDS



Short spline 7/16"	Holden	006635
Short spline 1/2"	Ford	006636
Long spline 1/2"	Industrial 55mm special	036186
Short spline 1/2"	Industrial 50mm special	036187
Long Spline 9/16"		036188
Short Spline 9/16"		036189

## AL-KO STUD AND NUT KITS



Pack of 5 studs and nuts		
7/16"	Plated Wheel	038758
1/2"	Black Wheel	038759
1/2"	Plated Wheel	038760

## BEARING PROTECTOR DUST COVER



Red plastic dust and water covers. Pack of 2.	006575
---	--------

## AL-KO BEARING PROTECTORS



Pressurised steel greaseable hub system	
Pack of 2	006574

## LUBRICANTS



Lubrimatic Marine Grease is water insoluable, resistant to salt air and water which controls rust. Can be used in many marine applications and is excellent for water pumps. 454g tub.	006576
Castrol High Temp Bearing Grease 500g tub	006579
Castrol Boating Grease 500g tub	006580

## HAYES ENERGIZE III BRAKE CONTROLLER



Smooth, proportional trailer braking. Compatible with all electronic systems (ABS, Cruise, etc.). Trailer/tow vehicle stop lights operate when trailer brakes are applied automatically or with manual lever. Wide range of mounting positions. Compact, rugged case. 000937

## TEKONSHA VOYAGER BRAKE CONTROLLER 9030



Compact and easy to install. Minimises false braking. Suits 2-4 magnets. 000947

## TEKONSHA PRODIGY BRAKE CONTROLLER



Works proportionally in reverse to assist reverse parking. Allows application of more initial braking power when towing heavier trailers. Made for up to 4 axle trailer braking systems. Easy to fit and remove. 000949



Pocket mounting kit. 000950



Pre-assembled wiring harness. 000951

## TEKONSHA ELECTRIC BREAKAWAY SWITCH



Applies electric brakes automatically when accidental trailer breakaway from the towing vehicle occurs. 000938



## SENTINEL BRAKE CONTROLLER



Digital display, solid state, no moving parts, no hydraulic connections, no levelling required. Compact size, mounts anywhere inside passenger compartment. Includes mounting bracket, hardware and instructions.

040752

## CAMEC BREAKAWAY KIT



Suits caravans, trailers and horse floats, suits all electric brakes, includes breakaway switch. Single & dual axle, compact and easy to install. Charging of the battery can be done via the tow vehicle auxiliary line. Rechargeable battery included, manual test circuit and battery charge indicator.

040119w

## BRAKE-SAFE ELECTRIC BREAKAWAY KIT



Automatically recharges when connected to tow vehicle. Applies brakes and brake lights on trailer if it is accidentally separated from tow vehicle.

5000	2-4 magnets	000940
4024	Brake-Safe battery only	000941
5000XP	6-8 magnets	000942

## TEKONSHA SHURSET BREAKAWAY KIT



Lockable breakaway kit for all single, tandem and tri-axle breakaway applications. Kit contains polymer battery case with A-frame or post mounting bracket, 12V sealed rechargeable 5 amp battery, nylon breakaway switch and DC to DC heavy duty quick maintenance (2 stage) in line charger.

000939

## BRAKE CABLE - WIRE ROPE



4mm	006369
5mm	036193

## BRAKE CABLE KIT



Consists of 8m of 8mm cable, cable adjuster, 2 rope clamps and 2 cable pulleys.

006370

## WIRE CABLE CLAMPS



Galvanised brake cable (wire rope) clamps used to secure brake cable to attachments

3mm clamp	006371
4mm clamp	036194
5mm clamp	006372
6mm clamp	006373

## BRAKE CABLE THIMBLE



4mm	036195
5mm	036196

## AL-KO PULLEY



Diecast pulley with fabricated strap.

006362

## AL-KO BRAKE CABLE ADJUSTER



Brake adjuster with combined pulley and turnbuckle.

006361

## TURNBUCKLE &amp; LOCKNUT



10mm with locknut  
Eye & eye.

006367

## D SHACKLES ZINC PLATED




5mm	006726
6mm	006725
8mm	006724
10mm	006723
12mm	006727

## BOW SHACKLES



8mm	006731
10mm	006732

## TRAILER IDENTIFICATION PLATE



2 piece VIN plate with tyre placard

036226

## AL-KO 700KG PRESSED METAL COUPLING



50mm drawbar	006276
Lock and key to suit	036198

## AL-KO QUICK RELEASE BOLT ON COUPLINGS



3 hole 2270kg capacity.

036199



2 hole 2000kg capacity with ball adjust.  
Zinc plated

006278

## TRIGG QUICK RELEASE BOLT ON COUPLINGS A150



2000kg capacity. 50mm plunger couplings fitted with head adjusting screw.

2 hole	006273
3 hole	006274
4 hole	006275

## AL-KO QUICK RELEASE BOLT ON ELECTRIC BRAKE COUPLING



3500kg capacity. 4 hole zinc plated with arm suits electric brakes. 006280

## AL-KO FIXED RING COUPLING



3 hole bolt pattern.	
3500kg capacity	036202
6000kg capacity	036204

## AL-KO MECHANICAL OVERRIDE COUPLING LESS BRAKE ARM



Zinc plated.	
1000kg capacity	036208
2000kg capacity	006285

## TRIGG MECHANICAL OVERRIDE COUPLING



2000kg capacity. No brake arm 006283

## TRIGG MECHANICAL RING TYPE COUPLING



2000kg capacity. No brake arm. 036210

## AL-KO MECHANICAL RING TYPE COUPLING



3000kg capacity. No brake arm. 036211

## TRIGG ANTI SWIVEL PARK BRAKE LEVER



Limited swivel baseplate restricts rotation of ring and prevents lock up on pintle hooks. Suits Trigg mechanical override ring coupling 036220

## AL-KO BRAKE ARM ATTACHMENT



006319

## TRIGG BRAKE ARM ATTACHMENT



Contoured hand brake lever with anti-swing ratchet. 006315

## AL-KO HYDRAULIC OVERRIDE COUPLING



2000kg capacity. 006281

## TREG 4WD POLY BLOCK COUPLINGS



3000kg capacity. Bolt on mechanical override coupling. Trigg Hand Brake assembly can be used. 006300

3000kg capacity. Weld on non-braked coupling. No handbrake provision.	006301
Detachable U bracket and pin	006295
Detachable pin and lynch pin	006293
Treg safety lynch pin 6mm	006294
Poly block	006297
Treg lockable spring pin	006299

**TRIGG 4WD FIXED COUPLING  
3 PIECE BOLT ON**

3,000kg off-road unbraked coupling, featuring full 360° rotation. Includes towbar adaptor. Polyblock with brass bushes and 10mm locking pin. 90° grease nipples fitted for easy servicing. Gooseneck bolt available. **006302**

**TRIGG 4WD OVER-RIDE  
COUPLING 3 PIECE BOLT ON**


2,000kg off-road override braked coupling, featuring full 360° rotation. Includes towbar adaptor. Polyblock with brass bushes and 10mm locking pin. 90° grease nipples fitted for easy servicing. Gooseneck bolt available. **036215**

**HYDRAULIC MASTER CYLINDER**

3/4" Complete. 2000kg capacity **006346**  
Cap only to suit 3/4" cylinder **006350**  
7/8" Complete. 3000kg capacity **006347**

**AL-KO MECHANICAL  
PARKING  
MECHANISM**

Top mounting parking lever for mechanical or electric brake trailers. Press button release. **036218**

**BRAKE ARM SUIT STRAIGHT  
DRAWBAR - GALVANISED**

50mm **036224**  
75mm **036225**

**AL-KO COUPLING  
ADAPTOR**

Converts mechanical couplings to hydraulic using 3/4" master cylinder (Part No.006346) **006317**

Bracket only to suit 3/4" master cylinder **006316**

**GAS CYLINDER CRADLES**

9kg plated. Universal  
Extra strong base **003827**



4kg plated. Universal  
Adjustable with adaptor **003824**



9kg plated. Adjustable clasp **003829**

**AL-KO JOCKEY WHEEL  
COMPLETE 150mm**

Standard **006402**  
Without clamp **006404**  
150mm rubber wheel only **006428**

**AL-KO JOCKEY WHEEL  
200mm**

With single clamp and 200mm wheel, fully adjustable with non-slip pressed ring outer tube.

Standard height **006408**  
Extra height - outer housing is 510mm long **006407**

**AL-KO 200MM JOCKEY  
WHEEL H/D  
INDUSTRIAL**

Complete with swivel plate and locking pin **006415**  
Swivel Plate. Heavy duty weld on **006421**

## ALKO JOCKEY WHEELS SOLID WHEEL



4.10 x 3.50 x 4 with clamp.

**038556**



4.10 x 3.50 x 4 complete with locking swivel bracket.

**038561**

### TRAILTECH JOCKEY WHEEL SUIT BOX TRAILER L/DUTY 150MM



Suitable for use only on box trailers **006401**

### TRAILTECH JOCKEY WHEEL WITH SWIVEL CLAMP L/DUTY 150MM



Light duty use only

**036243**

## ALKO JOCKEY WHEELS WITH LOCKING SWIVEL BRACKET



150mm With small bracket and locking pin

**036244**



150mm With large bracket and locking pin

**006406**



200mm With bracket and locking pin **006416**

### MANUTEC HEAVY DUTY INDUSTRIAL JOCKEY WHEEL



With H/D Pin Locking Swivel Bracket  
200mm

**036248**

## ALKO POWER MOVER WITH SOLID WHEEL



Ratchet jockey wheel. Assists the manual movement of a caravan or trailer. Includes handle and clamp **038543**  
Lever Handle Only **000464**

### MACO MULE TRACTION WHEELS



*Single Wheel*



*Dual Wheel*

Ratchet level drive, one hand operation with detachable handle. Acts as efficient brake on grades. Geared for maximum traction with minimum effort. Maximum safe working load 1,000kg draw bar weight for both the dual and single wheels. Inbuilt differential that equalises turning circles and reduces drag.

Single Wheel for smaller or medium sized vans and trailers built on a single axle. **000433**

Dual Wheel for larger vans and trailers with tandem wheels. **000460**

Lever Handle Only **000434**



### TRAIL-A-MATE HYDRAULIC JOCKEY WHEEL



For stress free raising and lowering of caravans, boats and trailers. Suitable for most jockey wheel brackets. Both a jack and jockey wheel. No need to climb under the vehicle to jack it up. Trail-a-Mate has a safe working load of 1000kg when base is fitted. Includes safety non-slip lugs built in safety lock, detachable wheel, flat base plate, jacking brackets and lifting clamp

Trail-A-Mate	
Hydraulic Jockey Wheel	000417
Spare flat base plate	000418
Spare lifting clamp	000420
Spare jacking brackets	000422
Service Kit	000427
Jacking handle	000429

### SIDEWINDER JOCKEY WHEEL AND JACK



For stress free raising and lowering of caravans, boats and trailers. Suitable for most jockey wheel brackets. No need for a jack and jockey wheel - this will do both jobs. Includes detachable wheel, flat base plate, jacking brackets and lifting clamp.

000431

### EASYLIFT JOCKEY STAND WITH SWIVEL CLAMP



Heavy duty stand complete with weld on swivel clamp 510mm.

036251

### ALKO ADJUSTABLE STAND WITH FLAT BASE




Complete with clamp

355mm 006450

510mm 006451

### SIDE WINDING ADJUSTABLE STAND - FLAT BASE




575mm

Adjustable stand with loose handle. No swivel bracket or mounting tube. Lift 350mm. Static load capacity 1000kg.

036252

### MANUTEC ADJUSTABLE STAND - HEAVY DUTY



500mm

Adjustable stand with heavy duty pin locking swivel brackets supplied loose. Height 500mm lift 225mm. Static load capacity 1250kg

006447

### U BOLT KIT SUIT ALKO JOCKEY WHEEL




75mm long drawbar. 2 per card.

100mm wide 036246

75mm wide 036247

### JOCKEY WHEEL RECEIVER



Rubber support cradle for use under jockey wheels. Fits 150mm, 200mm and 250mm wheels.

000410

### JOCKEY WHEEL HANDLES



Easylift 036264

Alko 006438

Alko Grip Handle 006424

### JOCKEY WHEEL AXLES



150mm Alko 036259

Axle Circlip 036260

### JOCKEY WHEEL THRUST RACE BEARING



Will suit most jockey wheels with 150mm wheels.

006440

### ALKO JOCKEY WHEEL CLAMPS



Single Standard Clamp 006418

Boxed 038769



Swivel Clamp. No weld required 006422



Swivel Clamp with locking pin 036263

## JOCKEY WHEEL SPARE WHEELS

### Rubber Wheels

200mm Easylift  
150mm Alko



036268  
006428

### Steel Wheel

200mm Alko



006429

### Tyre and Tube Complete Pneumatic

4.10 x 4 Artwell

036270

### Rubber Inner Tube

2.50 x 4  
4.10 x 3.50

006433  
006437

### Rubber Tyres

4.10 x 3.50 x 4 ply

036266

## MANUTEC WELD ON ADJUSTABLE LEGS - REAR



Slotted type handle fitting

500mm  
600mm

006473  
006474

## MANUTEC ADJUSTABLE LEGS WELD ON - FRONT



Hex head handle fitting.  
500mm

006469



Slotted type handle fitting  
500mm  
600mm

006470  
006472

## AL-KO WIND DOWN LEGS FRONT



**Front**  
Hex Drive. Side bolt. Zinc plated.  
500mm  
600mm  
700mm

006476  
006477  
006478



**Rear**  
Hex Drive. Side bolt with wheel. Zinc plated.  
500mm  
600mm

006479  
006480

## FRONT AND REAR LEGS SUIT JAYCO



Hex Drive - top mount bolt on. Galvanised.

500mm Front  
700mm Rear

006481  
006482

## MANUTEC QUICK RELEASE ADJUSTABLE LEGS



Weld on - lift 240mm  
400mm  
520mm

006488  
006490

## AL-KO "BIG FOOT" LEG PADS



Provides a flat load bearing surface for corner  
steadies, ideal for soft ground.  
Set of 4.

006486

## AL-KO DROP DOWN CORNER STEADY PLUS BIG FOOT



Corner steady with "Big Foot" leg pad  
attached. Provides a flat load bearing surface,  
ideal for soft ground.

590mm  
740mm  
Replacement handle

006483  
006485  
006484

## CARAVAN REAR LEG WINDER HANDLES



550mm Easylift/Artwell  
720mm Easylift/Artwell

006493  
006494



550mm Hexagonal

006495



Millard old style jack handle

006498



800mm Alko hex drive  
1150mm Alko hex drive

006499  
006500

## POLYETHELENE MUDGUARDS



Strong, modern look, step treads on both sides and top - complete with mudflaps. Brackets not included

300mm	Small	White	<b>036283</b>
300mm	Small	Silver	<b>036284</b>
330mm	Medium	White	<b>036285</b>
330mm	Medium	Silver	<b>036286</b>
355mm	Large	White	<b>036287</b>
355mm	Large	Silver	<b>036288</b>
355mm	Large	Black	<b>036289</b>

## TRAILER MUDGUARDS - HOLDEN SIZED WHEELS



## Width

200mm	galvanised	<b>036276</b>
230mm	galvanised	<b>036273</b>
230mm	black	<b>036274</b>

## TRAILER MUDGUARDS - MINI SIZED WHEELS



200mm	wide galvanised	<b>036278</b>
-------	-----------------	---------------

## TRAILER MUDGUARDS JUNIOR



150mm wide galvanised to suit 200mm wheel. **036279**

## TRAILER MUDGUARDS TANDEM



230mm galvanised	<b>036280</b>
230mm black	<b>036281</b>
200mm galvanised	<b>036282</b>

## GALVANISED WHEEL ARCH SINGLE



290mm (h) 760-450mm (w) 280mm (d)	<b>006543</b>
-----------------------------------	---------------

## GALVANISED WHEEL ARCH TANDEM



290mm (h) 1545-1260mm (w) 280mm (d)	<b>006544</b>
-------------------------------------	---------------

## SPRINGS



Spring length is measured from centre of eye at front to centre of slide at rear. Spring ratings are guidelines only.

	Size (mm)	Rating (kg)	
<b>BROOKER</b>			
6 leaf	45 x 6 x 580	700	<b>036296</b>
6 leaf	45 x 6 x 725	620	<b>036297</b>

## NYLON BUSHED

3 leaf	45 x 8 x 710	425	<b>036299</b>
4 leaf	45 x 8 x 710	550	<b>036300</b>
5 leaf	45 x 8 x 710	650	<b>036301</b>
6 leaf	45 x 8 x 710	750	<b>036302</b>
4 leaf	45 x 8 x 710	630	<b>036303</b>
4 leaf	45 x 8 x 762	640	<b>036304</b>
5 leaf	45 x 8 x 762	760	<b>036305</b>
5 leaf	45 x 8 x 840	710	<b>036306</b>
7 leaf	45 x 8 x 840	950	<b>036307</b>
7 leaf	45 x 8 x 710	1140	<b>036308</b>

TANDEM OFFSET CENTRE  
NYLON BUSHED

6 leaf	45 x 6 x 710	474	<b>036310</b>
7 leaf	45 x 8 x 710	1120	<b>036309</b>
6 leaf	45 x 6 x 660	548	<b>036312</b>
7 leaf	45 x 7 x 710	730	<b>036311</b>
4 leaf	45 x 8 x 710	680	<b>036313</b>

## SPRINGS

	Size (mm)	Rating (kg)	
<b>UNBUSHED 7/8 EYE RB</b>			
4 leaf	45 x 6 x 762	296	<b>036315</b>
6 leaf	45 x 6 x 762	445	<b>036314</b>
4 leaf	45 x 6 x 610	365	<b>036316</b>
6 leaf	45 x 6 x 840	395	<b>036317</b>

## SLIPPER AUSTRALIAN MADE

2 leaf	45 x 6.5 x 720	160	<b>036318</b>
3 leaf	45 x 6.5 x 720	300	<b>036319</b>
4 leaf	45 x 6.5 x 720	450	<b>036320</b>
5 leaf	45 x 6.5 x 720	500	<b>036321</b>
6 leaf	45 x 6.5 x 720	600	<b>036322</b>
8 leaf	45 x 6.5 x 720	800	<b>036323</b>
5 leaf	45 x 6.5 x 585	650	<b>036324</b>

## SLIPPER DACROMET IMPORTED

3 leaf	45x 6 x 720	300	<b>036333</b>
4 leaf	45 x 6 x 720	400	<b>036334</b>
5 leaf	45 x 6 x 720	500	<b>036335</b>
6 leaf	45 x 6 x 720	600	<b>036336</b>
7 leaf	45 x 6 x 720	675	<b>036337</b>

## PARABOLIC SLIPPER SPRINGS GALVANISED 45MM WIDE



1 leaf spring tapered from centre to each end.  
One size fitting for all capacities.

1 leaf	45 x 13 x 860	300	<b>036338</b>
1 leaf	45 x 15 x 860	500	<b>036339</b>

## OFF ROAD AUSTRALIAN MADE



Includes U bolt kit

7 leaf	60 x 6.5 x 850	500	<b>036342</b>
8 leaf	60 x 6.5 x 850	650	<b>036343</b>
9 leaf	60 x 6.5 x 850	750	<b>036344</b>

## SPRING ASSEMBLIES ON FLAT BAR



6 leaf	TA750	375kg	<b>036346</b>
8 leaf	TA1250	600kg	<b>036347</b>

## 5 & 7 LEAF TANDEM SPRING ASSEMBLIES ON FLAT BAR



Rating shown are per side.

## Non Greaseable Spring Assemblies

5 leaf	TA1500	750	<b>036348</b>
7 leaf	TA2000	1000	<b>036349</b>
7 leaf	TA2000-16	1000	<b>036350</b>
6 leaf	TA600	750	<b>036351</b>

## Spring Only

Front spring only	suit TA1500	<b>036352</b>
Rear spring only	suit TA1500	<b>036353</b>
Front spring only	suit TA2000	<b>036354</b>
Rear spring only	suit TA2000	<b>036355</b>

## TANDEM AXLE SPRING FITTINGS



Fabricated Rocker Arm  
with Bushes **036360**



Tandem Cast Rocker Arm  
TA2000 A676 **036362**



Tandem Cast Rocker Arm  
TA2000-16 **036363**

## FRONT SPRING U HANGER



45mm wide	
12mm hole	<b>036364</b>
14mm hole	<b>036365</b>

## REAR SPRING HANGER BLOCK



22mm ID No Bush **036367**

## REAR HANGER SUIT SLIPPER SPRING



Suit 45mm slipper spring **036368**

## SHACKLE BOLTS/NUTS



<b>Bolts &amp; Nuts Greasable</b>	
3 1/2" x 9/16"	<b>036369</b>
3 1/2" x 5/8"	<b>036370</b>

## Bolts & Nuts Non-Greasable

3 1/2" x 9/16"	<b>036371</b>
3 1/4" x 5/8"	<b>036372</b>

## Nuts

9/16" Nyloc nut UNF	<b>036373</b>
5/8" Nyloc nut UNF	<b>036374</b>
1/2" Whitworth nut Nyloc	<b>006530</b>
1/2" Whitworth nut zinc plated	<b>006531</b>

## Bolt

3 1/2" x 1/2" Whitworth hex bolt	<b>036375</b>
----------------------------------	---------------

## SHACKLE PLATES



<b>1/2" hole</b>	
Black - holes 65mm centre to centre	<b>036377</b>
Galvanised - holes 75mm centre to centre	<b>036378</b>

<b>9/16" hole</b>	
Black - holes 65mm centre to centre	<b>006526</b>
Galvanised - holes 75mm centre to centre	<b>036379</b>

## SPLIT PIN




32mm x 3.2mm steel **036422**

## FISH PLATES



8mm multi-fit with slotted holes.	
Black	<b>006527</b>
Galvanised	<b>036380</b>

## AXLE PAD 40MM SQ



To fit centre pin of spring	
Single Bulk	<b>036387</b>
Galvanised. 1 per pack	<b>038768</b>



## U BOLTS - 1/2" WHIT



Nuts sold separately

**Square Black**

115mm x 40mm	036391
125mm x 40mm	036392
125mm x 45mm	006522
125mm x 50mm	036393
140mm x 40mm	036394
140mm x 45mm	006523
150mm x 40mm	036395
150mm x 50mm	006524
165mm x 45mm	036396

**Round Black**

125mm x 40mm	036397
125mm x 45mm	036398
125mm x 50mm	036399
150mm x 50mm	036400

**Square Zinc Plated**

75mm x 55mm	036401
75mm x 100mm	036402
100mm x 75mm	036403
100mm x 40mm	036404
100mm x 100mm	036405
114mm x 56mm	036406
130mm x 56mm	036407
115mm x 40mm	036408
125mm x 40mm	036409
125mm x 45mm	036410
125mm x 50mm	036411
140mm x 40mm	036412
140mm x 45mm	036413
150mm x 40mm	036414
150mm x 50mm	036415
165mm x 45mm	036416

**Round Zinc Plated**

100mm x 40mm	036417
125mm x 40mm	036418
125mm x 45mm	036419
125mm x 50mm	036420
150mm x 50mm	036421

**AL-KO U-Bolt Kits**

2 U-bolts, 4 nuts, and washers,

Suit 39mm axles	038766
Suit 40mm axles	038767

## GREASE NIPPLES - SPRINGS



Straight	036376
----------	--------

## SPRING BUSHES

**Nylon Bushes**

1 3/4" x 3/4" x 1/2"	036381
1 3/4" x 7/8" x 1/2"	006533
1 3/4" x 7/8" x 5/8"	006534
1 3/4" x 3/4" x 9/16"	006535
1 3/4" x 7/8" x 9/16"	036382
1 1/5" x 7/8" x 5/8"	036386

## SPRING CENTRE BOLTS &amp; NUTS



50mm x 8mm	036388
65mm x 8mm	036389
75mm x 8mm	036390

**AL-KO CARAVAN SHOCK ABSORBER KIT**

Suitable for beam axles

Set of 2 036423

**WINDSOR CARAVAN SHOCK ABSORBER**

Shock absorber	006654
Coil spring blue 600kg	006658
Top plate	006655

## VISCOUNT SINGLE WHEEL SPAT



White fibreglass. Offside	006647
White fibreglass. Nearside	006648
White plastic	
Sold in pairs only (LH/RH)	036432

MILLARD SINGLE SPAT  
OLD STYLE

White fibreglass	006645
------------------	--------

MILLARD SINGLE SPAT  
NEW STYLE

White plastic	036433
---------------	--------

## VISCOUNT TANDEM SPAT



White. Offside.	006649
White. Nearside	006650
White plastic	
Sold in pairs only (LH/RH)	036434

## MILLARD TANDEM SPAT



White fibreglass.	006646
-------------------	--------

SMALL VISCOUNT SINGLE SPAT -  
LOW PROFILE

White plastic.	006642
White fibreglass	006643

SPARE WHEEL CARRIER  
WELD ON

Can be welded direct to A-frame or bumper bar. Retaining disc keeps the spare wheel secure with provision for padlock	000511
---	--------

SPARE WHEEL CARRIER  
DUNFORD BOLT ON

Complete with 2 U-bolts and nuts for temporary fixing to A-frame. Retaining disc keeps the spare wheel secure with provision for padlock.	000512
---	--------

JAYCO SPARE WHEEL CARRIER  
BOLT ON

000515
--------

## SINGLE CARAVAN STEP LOW PROFILE



Steel 455mm wide  
170mm mounting frame.

006501

## SINGLE CARAVAN TREADPLATE STEP



Steel. 500mm wide.  
165mm mounting frame.

006502

## DOUBLE CARAVAN STEP



Painted. 490mm x 180mm

006504

## TECHNO-STEP MANUAL STEP



560mm wide manual step.  
Aluminium/steel construction

006507

## TECHNO-STEP 12V ELECTRIC STEP



560mm wide. Operated by a switch.  
Aluminium/steel construction.

Single step

006508

Double step

006509

## CHROME TOWBALLS



1 7/8" towball. Shank 7/8" dia. x 51mm long.  
Towing capacity 2270kg.

006255



50mm long shank towball. Shank 7/8" dia. x  
62mm long. Towing capacity 3500kg

006252



50mm long shank towball. Shank 7/8" dia. x  
80mm long. Towing capacity 2500kg

006250



50mm chrome towball with 25mm hi-rise.  
Shank 7/8" dia. x 51mm long.  
Towing capacity 2000kg

006254



50mm towball. Shank 25mm dia. x 51mm  
long. Towing capacity 3000kg.

0036443

## TOWBALL COVERS



"Hav-A-Ball" "soft black plastic.  
Black plastic with spring clip suits  
50mm and 1 7/8" towballs.  
Chrome plastic with spring clip  
suits 50mm and 1 7/8" towballs.

000849

000848

000850

## MULTIFIT TOWBALL SPANNER



Can be used for towball nuts, snap up bracket  
bolts, D shackles, towbar tongue bolts and  
adjustable ball mount bolts and nuts.

006256

## GALVANISED LINK CHAIN



Sold by the metre

10mm long link

006722

## "TRAILER COP' COUPLING LOCK



Quick release expanding towball coupling  
lock. Fits all popular trailer couplings with a  
barrel lock for high security. Easy to operate.

000385

## COUPLEMATE DUAL COUPLING LOCK



Dual lock which locks car and trailer  
together. Padlock not included.

000392

## TRAILER COUPLING LOCK



Heavy duty 2 position locking system.  
Secures trailer when attached or unattached  
to vehicle. Includes padlock.

000395

**TRAILER COUPLING LOCK**

Heavy duty. Fit in seconds.  
Padlock not included.

**000399****PULL PIN LOCKS - REESE**

Locking pins for Reese towbars - secures the hitch with a keyed locking pin.

Prime locking pull pin **036448**


Reese locking pull pin **000914**

Reese pull pin **000915**

Spring cotter pin **000916**

**PULL PIN LOCK - TREG**

Slip the Treg lock pin into the coupling and attach the cylinder onto the machined end. Then simply turn the key. Includes dust cap. For 4WD use. **036449**

**PULL PIN HITCH LOCK PLUS TREG LOCK**

4WD security set which comprises Talon Hitch Lock plus Treg Lock. Keyed alike for convenience. **036450**

**STRETCHMASTER WHEEL LOCK**

The fastest way to ensure your motor vehicle, boat trailer, aircraft, caravan, box trailer or camper trailer stays secure. Fits up to 290mm wide wheels. Hardened steel. Weighs under 3kg. Insurance company approved. **000406**

**KLAMP IT WHEEL LOCKS**

Designed to fit on the driver side front tyre with a steel horizontal bar that blocks movement.

Type	Tyre Width	Wheel Dia.	
B	165 - 185mm	13 - 15"	<b>000402</b>
C	195 - 205mm	13 - 17"	<b>000403</b>
D	215 - 245mm	15 - 17"	<b>000404</b>
E (4WD)	285mm	14 - 16"	<b>000405</b>

**SUNRAYSLA STEEL ROAD WHEELS**

White. 355mm x 152mm

Ford **006615**

Landcruiser **036454**

**STEEL ROAD WHEELS**

Holden HD HR 330mm **038357**

Holden HQ 355mm **036452**

Ford 355mm **036453**

**GALVANISED STEEL ROAD WHEELS**

Holden HD HR 330mm **036456**

Holden HT 355mm **036457**

Holden HQ 355mm **036458**

**EASYPARK WHEELS**

Replaces road wheel when parking vehicle in area with low headroom - lowers height of vehicle

Ford **006616**

6 Stud Landcruiser **006617**

**ALLOY WHEELS****No Tyre**

200mm Holden bearing mount **036461**

230mm hub mount **036465**

250mm hub mount **036469**

250mm bearing mount **036471**

250mm hub mount Mini wheel Aluminium Performance **036473**

**With Tyre**

200mm Imperial **036460**

200mm Holden bearing mount **036466**

200mm hub mount **036464**

230mm hub mount **036466**

230mm bearing mount **036468**

250mm hub mount **036470**

250mm bearing mount **036472**

250mm hub mount Mini Wheel Performance **036474**

**SPARE RUBBER TUBES AND TYRES**

400 x 8 tube **036479**

400 x 8 4 ply tyre **036480**

450 x 10 tube **036481**

450 x 10 6 ply tyre **036482**

500 x 10 tyre **036483**

600 x 9 tube **036484**

**TRAILER SKID**

Blue trailer skid manufactured from Magnalene. Specially formulated for aluminium boats.

50mm x 12mm x 1500mm **007645**

**FENDER STRIP GROOVED & TRAILER SKID**

White PVC fender strip and trailer skid grooved.

**007646**

## BOAT ROLLERS



**Blue polypropylene keel rollers.**

100mm 17mm bore	007653
150mm 17mm bore	007654
200mm 21mm bore	007655



**Self centring rubber rollers**

150mm 17mm bore	007656
200mm 21mm bore	007657



**Black curved rubber rollers**

200mm 21mm bore	007658
300mm 25mm bore	007659

## GALVANISED ROLLER BRACKET



**2 Round Legs.**

Suit 150mm roller	007674
-------------------	--------

## GALVANISED KEEL ROLLER BRACKET



75mm	007667
100mm	007668
150mm	007669
200mm	007670
305mm	007671

## KEEL ROLLER SPINDLES SOLID GALVANISED




75mm roller size, 16mm dia.	007691
100mm roller size, 16mm dia.	007692
150mm roller size, 16mm dia.	007693
200mm roller size, 16mm dia.	007694
200mm roller size, 20mm dia.	007695
305mm roller size, 22mm dia.	007696


## GALVANISED WOBBLE ROLLER BRACKETS



**Single.** Mounts a single wobble roller onto a post. 007677



**Double.** Allows two wobble rollers to be mounted onto a single post. 007678



**Quad.** Allows four wobble rollers to be mounted onto a single post. 007679



Galvanised wobble roller post clamps	
Suit 50 x 25mm RHS	007686
Suit 50 x 50mm RHS	007687
Suit 75 x 50mm RHS	007689
Suit 100 x 50mm RHS	007690



Wobble Rollers			
75mm	Grey	Ribbed	007664
100mm	Black	Smooth	007665

## WOBBLE ROLLER SOCKET AND NUT



Bolt on 19mm post - galvanised 007684



Weld on 19mm post - black 007685

## JARRETT MANUAL BRAKE WINCHES



5.1 300kg capacity with cable	006685
10.1 500kg capacity with cable	006686

## JARRETT MANUAL WINCHES



Capacity	Ratio	
<b>with Cable</b>		
500kg	3:1	006680
700kg	5:1 1:1	006682
800kg	10:1 5:1 1:1	035663
<b>Car Trailer winch with Cable</b>		
1000kg	9.5:1 5:1 1:1	035664
<b>Boat winches with Webbing</b>		
500kg	3:1	006690
700kg	5:1	006691
700kg	5:1 1:1	006692
800kg	10:1 5:1 1:1	006693



Winch handle suit Jarrett hex drive 006720

## AL-KO WINCHES



**Safety Winch.** 500kg capacity. Cable not included. 035669



Boat Winches with Cable.		
Capacity	Ratio	
250kg	1:1	006694
750kg	5:1 1:1	035666
1000kg	10:1 5:1 1:1	035667



Winch handle suit Alko - 230mm 035662



## PURPLELINE CARAVAN MOVERS

Purple Line Caravan Movers enable the user to manoeuvre a Caravan via remote control to hitch, de-hitch or park the Caravan into a tight spot. They take the stress out of these highly demanding manoeuvres and the risk of damage to the Caravan.

Purple Line Caravan Movers consists of two models each with 2 powerful hi-torque 12 volt electric motors, a 12V electronic control unit and remote control handset and installation hardware. The motors attach to the chassis via means of a bracket and work through a direct drive reduction gearbox connected to solid friction rollers which act through a cross actuation device to drive both wheels on the Caravan which provides precise control over the Caravan's movements.

In a dual configuration (2 motors) both units are capable of moving a Caravan of up to 2.25 tonne and in a quad configuration (4 motors) both units can move a Caravan up to 3.5 tonne on a flat surface. Note; the quad configuration can result in some reduction in manoeuvrability upwards of 2.5 tonnes.



## ENDURO CARAVAN MOVER

### Specifications:

- Suitable for single and dual axle Caravans.
- Kit includes 2 Power Units, Electronic Control Unit, Remote Control Handset and Cross Actuation Device.
- Constructed with high tensile steel.
- Weight: 40kgs.
- Dimensions: 1800mm x 2500mm
- Maximum power output: 495kg.
- Efficiency under load: 84 Amps.
- Pulling power of 2.25 tones on flat ground.
- Safely power a 1.5 tonne Caravan on gradients up to 1:4.

**040167**



## E-GO CARAVAN MOVER

### Specifications:

Suitable for single and dual axle Caravans.  
Kit includes 2 Power Units, Electronic Control Unit and Remote Control Handset and Cross Actuation Device.  
Constructed with anodised high strength alloy.  
Weight: 37kgs.  
Dimensions: 1800mm x 2500mm.  
Maximum power output: 585kg.  
Efficiency under load: 76 Amps.  
Pulling power of 2.25 tones on flat ground.  
Safely power a 1.5 tonne caravan on gradients up to 1:4.

**040168**



## E-GO AUTO ENGAGE - ENGAGING THE ROLLERS (OPTIONAL)

E-go uses a 'wind-on' method to move the rollers onto the tyres. The advantages of the 'wind-on' method is that it allows the operator to adjust the pressure of the rollers on the tyres relative to the pressure in the tyres or the amount of friction required to move the Caravan. The benefit of this is that it can be useful where manoeuvring the Caravan up gradients and for heavier Caravans. E-GO is also available with an electric engagement system where the roller engages the tyres with the push of a button, eliminating any human effort.

**040169**

