

FLAT DRINKWATER HOSE



Ideal for connection to caravans and motor homes using snap-on high quality brass fittings, our drink water hose is a scaled down fire hose with:

- a food grade liner
- non tainting
- made from 100% polyester (no need to dry)
- an internal diameter of 19 mm, which provides a high flow

Compact Reel 12m Hose

Height overall incl. handle 370mm

Diameter 300mm

Depth 65mm **005309**

Multi Reel 18m Hose

Height overall incl. handle 440mm

Diameter 375mm

Depth 80mm **005310**

FLAT SULLAGE HOSE



Our unique flat sillage hose is made from 'memory' PVC, automatically expanding when unwound from the Reel. This hose has a 25mm internal diameter and comes supplied with two end plugs and a 25mm joiner. Also includes elbow to go over the edge of drain pipe.

7m 25mm ID with Compact Reel **038685**

9m 25mm ID with Multi Reel **005315**

9m 32mm ID with Multi Reel **005316**

COMPACT REEL TO SUIT FLAT HOSE



300mm x 65mm.

Holds up to:

- 12m Flat Out drink water hose
- 7m Flat Out sillage hose
- 20m heavy duty (15 amp) power lead

005313

BRASS USA-BSP CONVERTER



Complete with plastic elbow.

034571

PVC FOODGRADE HOSE



Clear per metre

10mm

035559

12mm

005272

12.5mm

035560

19mm

035561

25mm

005274



Black per metre

12.5mm

005267

25mm

005269

WASTE HOSE BLACK



Corrugated (Fluted) per metre

40mm

005282

per metre or 30m roll

12.5mm Not reinforced

005277

25mm Not smooth bore

005280

25mm Reinforced smooth bore (20m roll)

005284

STOW-A-WAY HOSE CARRIER AND HANDLE



Keeps hoses neat and tangle free. The built-in "hang up hole" can be used when storing hoses. Heavy duty and adjustable to hold a variety of hose lengths. **005314**

CAMEC DRINKING WATER HOSE



Non toxic. No taste. Hose will not taint the water. White 12mm

20m roll

005301

10m roll

005303

100m roll

005304

HOT WATER PRESSURE HOSE - POLYBUTYLE



10mm to suit Qicktite fittings. Sold per metre or 100m rolls.

005473

CLEAR BRAIDED DRINKING WATER HOSE



12mm ID. Sold per metre.

005293

HOSE CLAMPS



All Zinc Finish

10 - 16mm

005330

12 - 22mm

005331

20 - 32mm

005332

25 - 40mm

005333

Stainless Steel 304

8 - 16mm

038129

12 - 22mm

035572

25 - 40mm

005329

HOSE FIXERS



Male



Female

RV hose repair made easy. Unbreakable and reusable nylon.

Male thread

005411

Female thread

005412

BRASS ADAPTOR 12mm AMERICAN



Click On 1 1/16" American thread

005399

GARDENA HOSE USA ADAPTOR



Snap on hose fitting to suit the Shurflo In-line water entry

005398

DM 12MM LLDPE TUBE

Sold per metre

Red 005321
Blue 005323

DM TEE CONNECTOR

12mm 005450

DM ELBOW CONNECTOR

12mm x 12mm 005451

DM STRAIGHT CONNECTOR

12mm X 12mm 005452

DM BARB CONNECTOR

15mm plastic pipe 1/2" barb 005453

DM FEMALE PLASTIC ADAPTOR

Suit 12mm 3/8" FBSP 005454
Suit 12mm 1/2" FBSP 005457

DM STRAIGHT PLASTIC ADAPTOR

Suits 12mm 1/2" MBSP 005456

DM STRAIGHT PLASTIC REDUCER

15mm x 12mm 005458

DM PLASTIC STEM ADAPTOR

12mm x 1/2" MBSP 005459

DM PLASTIC STEM ELBOW

12mm x 12mm 005460

DM ELBOW

12mm 1/2" MBSP Swivel 005461

DM BRASS ADAPTORS

Suit 12mm 1/2" MBSP 005462

DM MALE PLASTIC ADAPTOR

Suit 12mm 1/2" MBSP 005464

DM PLASTIC IN LINE CHECKING VALVE

12mm x 12mm 005465

DM LOCKING CLIP

12mm red. For hot water. 005467

DM TUBE SUPPORT INSERT

Suits 12mm 005466

PLASTIC TUBE CUTTER

000694

PLASTIC REDUCING ADAPTOR



12mm to 10mm

005469

SHUT OFF INLINE VALVE



12mm

005470

PLASTIC ELBOW



13mm
25mm

005363
005365

PLASTIC BARBED X MALE THREADED ELBOW



13mm to 1/2" BSP male
25mm to 3/4" BSP male

005367
005368

PLASTIC JOINER



10mm
13mm
25mm

005371
005372
005374

PLASTIC BARBED REDUCING JOINER



13mm to 10mm
25mm to 19mm
32mm to 25mm

005378
005381
005382

PLASTIC THREADED TEE WITH MALE BRANCH



13mm x 13mm x 1/2" M BSP

005388

PLASTIC BARBED TEE PIECE



10mm
13mm
25mm

005383
005384
005386

PLASTIC NUT & TAIL



19mm BSP
25mm BSP
25mm BSP

13mm tail
13mm tail
25mm tail

005389
005390
005392

PLASTIC SHUT OFF TAP



Screw down action - barbed both ends.
13mm

005393

PLASTIC QUICK ACTION SHUT OFF TAP



Barbed both ends
13mm
25mm

005394
005395

PLASTIC DIRECTORS



12mm BSP 10mm tail
6mm BSP 13mm tail
12mm BSP 13mm tail
19mm BSP 13mm tail
25mm BSP 25mm tail 19mm barb
25mm BSP 25mm tail

005354
005355
005356
005357
005358
005360



STAINLESS STEEL SINKS

Includes plug and straight waste or optional right angle outlet, perimeter seal and fitting clips.



650mm (l) 380mm (d) 145mm (h) **006033**



Top fixing
590mm (l) 370mm (d) 125mm (h) **006032**



DROP IN BOWL



Stainless steel bowl, glass lid, hot & cold tap.
420mm (l) 440mm (d) 145mm (h) **006063**

TWIN STAINLESS STEEL BOWL



Both bowls 305mm x 305mm

006056



STAINLESS STEEL BASINS



Concealed fixing. Includes plug and waste.
145mm (h) 380mm (w) 280mm (d) **006059**



Top fixing. Includes plug and waste.
125mm (h) 370mm (w) 370mm (d) **006057**

Concealed fixing. Includes plug and waste.
145mm (h) 380mm (w) 380mm (d) **006058**

STAINLESS STEEL SINGLE SINK BOWL ROUND



275mm diameter 110mm (d) **006050**

CAMEC STAINLESS STEEL SINKS & DRAINERS



Plug and waste sold separately.
480mm x 780mm **006046**



Comes with foam tape and 10 brackets. Plug and waste sold separately.
760mm x 355mm **038169**

STAINLESS STEEL SINGLE BOWLS



Plug and waste not included.

280mm (l) 220mm (w) 125mm (d) **006051**

355mm (l) 255mm (w) 125mm (d) **006052**

305mm (l) 305mm (w) 160mm (d) **006053**

300mm (l) 350mm (w) 150mm (d) **006054**

STAINLESS STEEL BASINS



315mm (l) 265mm (w) 145mm (d) **038170**



327mm (l) 278mm (w) 150mm (d) **038171**



Full deep flange.
352mm (l) 282mm (w) 155mm (d) **038172**

PLASTIC SINK & DRAINER



White. Plug and waste not included. 711mm (l) 325mm (w) **006042**

ACRYLIC SINK BOWL



White. Includes plug and waste. 330mm (l) 279mm (w) **002110**

ACRYLIC CORNER SINK BOWL



White. Plug and waste not included. 279mm x 279mm **002111**

ACRYLIC WALL BASIN



White. Plug and waste not included. Compact. 508mm (l) 178mm (w) **002112**

PLASTIC OVAL BASIN



White. Includes plug and waste. 380mm (l) 305mm (w) 150mm (d). **002113**

MINI CORNER BASIN WITH SKIRT

Tap fittings not included.



One piece moulded white fibreglass corner basin. Ideal space saver. Easy to install. Tap holes not drilled. Uses SMEV plug and waste kit (not incl). **002116**

WASTE OUTLETS

Plastic. Suitable for 25mm hose. Plug sold separately.



Straight waste. **006072**



90° angle waste. **006073**

RUBBER SINK PLUGS



25mm **006064**
32mm **035578**

SMEVSM PLUG AND WASTE KITS

25mm plug and waste suitable for SMEV sinks only.



Straight waste. **006065**



90° angle waste. **006066**



Plug only. **006067**

TOWEL RAIL - STAINLESS STEEL



3.6m length
16mm **039112**
19mm **039113**

TOWEL RAIL BRACKETS



Chrome plated.
Centre
19mm **008196**
16mm **008200**
End pillar
19mm **008197**
16mm **008201**

TOWEL RAIL FLANGES



Chrome plated.
19mm **008198**
16mm **008202**

BATHROOM ACCESSORIES SET




Chrome. Contains soap dish holder, toilet roll holder, towel rail, towel ring, glass tumbler and holder and a clothes peg. **002109**

SHOWER TRAY



ABS.
965mm (w) 585mm (d) 125mm (h) **002165**
1010mm (w) 683mm (d) 75mm (h) **035579**

VT90 SHOWER TRAY



White.
670mm (w) 830mm (l) 55mm (d) **002166**

SHOWER SET COMPLETE CHROME

Rail mounted shower set with hose. Handset can be raised or lowered to desired position. Chrome finish. **005859**

SHOWER SET WITH SLIDING BAR

150cm brass double lock flexible hose and soap holder. **005882**

TELEPHONE SHOWER MODEL 9100

Telephone shower head with adjustable plastic stand, soap holder Model 330 hot and cold mixer. White. **005889**

EXTERNAL RECESSED WALL TYPE SHOWER

Can be mounted on the outside of vehicle. Hatch is fade and impact resistant, UV stable and can be painted. Key lock ensures security. White. **005810**

OSCOLATI SHOWER BOX

Hot/Cold mixer. Pull out/push button. Includes 4m hose. External dimensions 180mm (w) 130mm (h) **005822**

TRIGGER SHOWER WITH ROSE

Features heavy duty chrome finish and on/off trigger incorporated in handle. **005857**
Wall bracket to suit. **005872**

CAMEC SHOWER KIT

Kit comprises hand held shower rose and hose wall bracket, hot and cold mixer tap, chrome plated fittings and adjustable flow control nozzle. **005860**

SHOWER SET - ELBOW

Heavy duty chrome finish. Includes adjustable flow rate nozzle. **005869**

Wall bracket **005872**

RECESSED SHOWER HEAD AND ROSE KIT

Features a recessed shower rose and hose. Pull out handle complete with push button on/off switch. **005856**

THROUGH BULKHEAD ELBOW CONNECTOR

This fitting is used to connect hand shower sets where installation is required through wall fixing. Chrome. **005874**

HOT & COLD SHOWER MIXER



Hot/cold taps to suit hand held showers. Chrome with crystal handles. **005861**

HOT AND COLD SHOWER MIXER



Wall mounted shower mixer. White. **005824**
Knob to suit taps. **005831**

BREHA SPARE CARTRIDGES



To suit Hot & Cold Mixers. Part Nos. 005824, 005913. Coarse **005829**

WALL BRACKET



Chrome bracket to suit Trigger Shower and Elbow Shower Set. **005872**

CAMEC HOT & COLD VANITY TAP SET FOLD DOWN



Chrome tap set with 90mm centre basin mixing faucet. Requires barb to take 12mm hose. **005910**

HOT & COLD BASIN MIXER MODEL MG3100



Hot and cold mixer taps with high rise 200mm swivel spout to allow easy access. Chrome. **005993**

SINGLE DECK WASHDOWN TAP



Chrome **005996**

FOLD DOWN MAINS PRESSURE SINGLE TAP



Right Hand



Left Hand

Requires barb to take 12mm hose. Chrome plated.

Right Hand **005895**

Left Hand **005904**

Knob **005899**

SINGLE FOLDING FAUCET CHROME



When folded tap body is 39mm high. Chrome finish. **005990**

SINGLE COLD TAP CHROME



Low profile fixed pillar tap. Chrome finish. **005995**

ACCESSORY KIT



Adapts to mains pressure taps. Includes 1250mm x 12mm pressure hose, clamps, connectors, and fittings to connect to 3/4" external tap. **005909**

Brass union 1/2B x 3/8F with washer **005951**

SAMEV HOT & COLD BASIN MIXER TAP



Chrome. **005983**

SHURflo 12V ROTATING FAUCET



White plastic with built in 12V switch designed for use with a water pump or pressure reducing city water entry. Folds down and is ideal for slide out camper trailer kitchens. **005958**

NOTE:

All Tapware is for low pressure RV use only

COMPACT BASIN MIXER FAUCET

Chrome lever mixer handle, 200mm swivel spout and non-drip ceramic discs. **005998**

BASIN MIXER FAUCET

Chrome lever mixer for fixed installation with low profile. Complete with lever handle, 100mm spout and non-drip discs. **006001**

COMPACT SINGLE LEVER MIXER

Features hollow handle, chrome finish with non-drip ceramic discs. For use with elbow/trigger shower sets. **006004**

MINI SINGLE LEVER MIXER

Features solid handle, chrome finish with non-drip ceramic discs. For use with elbow/trigger shower sets. **006002**

COMPACT BASIN MIXER FAUCETS

Chrome lever mixer with swivel spout and non-drip ceramic discs.

150mm swivel spout

005999

200mm swivel spout

006000

COMPACT SINGLE HANDLE MIXER

Chrome

006005

BARWIG SINGLE FAUCET

White. Maximum inlet pressure 35 psi.

With switch

005953

No switch

005954

BARWIG ONE WAY VALVE

005798

PORTA POTTI QUBE 145

Dimensions: 330mmx383mmx427mm
Seating Height: 324mm
Colour: Grey
Flushing System: Bellow
Waste Tank Capacity: 12L
Flush Water Tank Capacity: 15L
Weight: 3.6kg
040453

PORTA POTTI QUBE 165

Dimensions: 414mmx383mmx427mm
Seating Height: 408mm
Colour: Grey
Flushing System: Bellow
Waste Tank Capacity: 121L
Flush Water Tank Capacity: 15L
Weight: 3.9kg
040454

PORTA POTTI QUBE 335

Dimensions: 315mmx342mmx382mm
Seating Height: 308mm
Colour: White
Flushing System: Piston
Waste Tank Capacity: 10L
Flush Water Tank Capacity: 10L
Weight: 3.3kg
040455

PORTA POTTI QUBE 345

Dimensions: 330mmx383mmx427mm
Seating Height: 324mm
Colour: White
Flushing System: Piston
Waste Tank Capacity: 12L
Flush Water Tank Capacity: 15L
Weight: 3.8kg
040456

PORTA POTTI QUBE 365

Dimensions: 414mmx383mmx427mm
Seating Height: 408mm
Colour: White
Flushing System: Piston
Waste Tank Capacity: 21L
Flush Water Tank Capacity: 15L
Weight: 4.0kg
040457

PORTA POTTI EXCELLENCE



Dimensions: 458mmx388mmx450mm
Seating Height: 443mm
Colour: White
Flushing System: Piston
Waste Tank Capacity: 21L
Flush Water Tank Capacity: 15L
Weight: 5.3kg
040458

PORTA POTTI EXCELLENCE ELECTRIC



Dimensions: 458mmx388mmx450mm
Seating Height: 443mm
Colour: Granite
Flushing System: Electric
Waste Tank Capacity: 21L
Flush Water Tank Capacity: 15L
Weight: 5.5kg
040459

ELECTRA MAGIC 24V TOILET



A recirculating toilet system which is 100% self-contained and requires no pressure water connection or holding tank installation. Operated by 24V DC hook-up
503mm (l) 432mm (w) 536mm (h) **001969**

FIAMMA® BI-POT PORTABLE TOILETS

- Pearl colour
- Easy to carry and empty
- Slide valve, easy to dismantle
- Large discharge outlet with semi-transparent lid
- Anti-bacterial seat
- Solid and practical pump that can be completely taken apart.
- Waste tank is made from one piece eliminating the possibility of leaks and smooth surface makes cleaning easy.
- Spare parts available



Bi-Pot 30

Weight: 4.1kg
Waste Tank Cap. 11 litres
345mm (w) 35mm (d) 300mm (h)

001789

Bi-Pot 1513

Weight: 4.7kg
Waste Tank Cap. 13 litres
360mm (w) 435mm (d) 330mm (h)

001790

Bi-Pot 1520

Weight: 4.8kg
Waste Tank Cap. 20 litres
360mm (w) 435mm (d) 382mm (h)

001791

PORTA POTTI C-200 CASSETTE TOILET



Toilet bowl can be swivelled 180° to provide extra space. Can be fully self contained or connected into the water supply. White. 17 litre holding tank. **001879**

PORTA POTTI 12V CASSETTE TOILETS C402 RANGE



New modern design with easy access to holding tank which now comes complete with wheels, a retractable handle. New rounded shape for easy cleaning. Parts are compatible with other Porta Potti cassette toilets. LH/RH is deemed to be from facing away from the toilet. Weighs only 8.5kg.

RH Holding Tank **001888**
LH Holding Tank **001889**

BRAVURA RV TOILETS



Sized for comfort with increased seat height (428mm). Large seat and deep bowl. Improved flush. Features a pulsating flush for near instantaneous bowl washdown. Single pedal flush. White. High Profile. 454mm (h) 421mm (w) 513mm (d) **001941**

FOLDING PORTABLE TOILET



Take anywhere, Standard height, sturdy steel frame which folds flat for storage. White seat. Spare bags included. **035588**

CLASSIC BATHROOM MODULE



European design module is designed to suit the new curved C400 Cassette Toilet. All products comprising the module are sold separately. 1840mm (h) 655mm (w) 500mm (d)

Classic cabinet constructed from white ABS plastic.

Strong and durable. Easy to clean. **002120**

Porta Potti Cassette Toilet C400 RH Holding Tank **001888**

Porta Potti Cassette Toilet C400 LH Holding Tank **001889**

Classic foldaway basin. Space-saving and self draining.

Constructed from white ABS plastic. Strong and durable.

Easy to clean. **033523**

WALEX BIO-PAK EXPRESS



Natural enzyme deodoriser and waste digester for cassette and portable toilets.

Pre-packaged portion control - no spills.

The advanced enzyme formula of Bio-Pak Express removes odours and cleans the holding tank with rapid breakdown of waste and paper.

- 100% biodegradable
- Easy to handle
- Easy to use
- Suitable for all cassette toilets, holding tanks & portable toilets
- Dissolves quickly
- Septic tank safe

039899

FIAMMA SUPER KEM BLUE



Concentrated double action formula, deodorises and sanitises. Suitable for fixed or portable toilets. 2 litre. **001792**

FIAMMA TOILET TISSUE



1 ply - suitable for portable toilets. Quickly disintegrates after use.

Pack of 6 rolls. **035583**

FIAMMA SUPER RINSE PINK



Scented anti-mildew bactericide for chemical toilet fresh water tanks. Cleans and protects the bowl. 1 litre **001794**

FIAMMA AQUA RINSE



Fresh water tank additive ensures a smoother, better flush. Leaves a micro-thin protective film in the toilet bowl and has lubricating qualities to assist opening and closing of the blade. Pleasant lavender scent.

1 litre

001835

2 litre

035587

AQUA KEM TOILET CHEMICAL

Green

Outstanding odour control. Assists in breaking down solids. Pleasant citrus scent. Environment friendly.

1 litre

001816

2 litre

035585



Blue

Works instantly to chemically neutralise odours. Pleasant pine scent with outstanding odour control. Biodegradable and septic tank safe.

1 litre


001813

2 litre

035586



FIAMMA® 40 LITRE WASTE WATER TANK



Wheels make moving easy. Has level indicator, air release valve and 45° angle adapter for discharge. **002178**

TOILET HOLDING TANKS



Designed for boating applications and able to be pumped empty. Made of 10mm thick polyethylene. Complete with vent fitting and two 38mm hose adaptors. No slide valve.

| | |
|--------------------------------|---------------|
| 128 litre | |
| 410mm (h) 660mm (l) 510mm (w) | 002180 |
| 170 litre | |
| 410mm (h) 940mm (l) 510mm (w) | 002181 |
| 225 litre | |
| 410mm (h) 1325mm (l) 510mm (w) | 002182 |

MARSAN ODOUR FILTER



Granulated charcoal filter which keeps air smelling fresh. Features quick release mounts.

| | |
|------|---------------|
| 16mm | 002071 |
| 25mm | 002073 |
| 38mm | 002074 |

BAYONET RING



Suits 90mm pipe **002014**

TERMINATION CAP WITH WIRE



Suits bayonet ring **002015**

VALVE TERMINATION CAP & STRAP



002057

FLANGE ADAPTOR 3" FEMALE THREAD



002066

ABS SLIDE VALVE THETFORD



The side of valve with the o-ring has 90mm external diameter.

| | |
|-------------|---------------|
| Slide valve | 002022 |
| Repair kit | 002009 |

SLIDE VALVE BLACK VALTERRA



002048

EVACUATION HOSE



Premier quality hose without fittings.

| | |
|----|---------------|
| 3m | 002083 |
| 6m | 002084 |

STRAIGHT SEWER HOSE ADAPTOR



002086

FYNSPRAY HAND PUMP



Black moulded nylon body with chrome plated brass handle and swivelling spout. Suitable for fresh or salt water.

| | |
|------------------------------|---------------|
| Output of 1L per 15 strokes. | 005549 |
| Service kit | 005568 |

SHURflo NAUTILUS 100
SERIES 12V PUMP
3.7L/MIN


Tough, rugged and compact. Designed to deliver 3.7L/min with minimal power consumption. Perfect for low volume, single fixture applications. Protected from thermal overload. Requires in-line switch and 3 amp fuse. 3/8" barbs. **005588**

SHURflo NAUTILUS 105
SERIES 12V PUMP
3.7L/MIN


Compact automatic demand pump. Self primes up to 750mm vertically while delivering up to 3.7L/min. Perfect for low volume, intermittent duty applications. Equipped with a thermal protector and long life pressure switch rated to 30 psi. 3/8" barbs. **005698**

SHURflo 12V COMPACT
PUMP & TAP


Shurflo Nautilus Manual 12V Pump and Shurflo 12V Rotating Faucet sold as a set. **005699**

SHURflo CLASSIC SERIES
2088 AUTO PUMPS


Extremely reliable with high performance. Includes built in check valve rated to 200psi to prevent back flow into the tank. All models incorporate 1/2" NPSM-Ports and can run dry without damage. No fitting supplied.

| | | | |
|-----|-------|--------------------------|---------------|
| 12V | 45psi | 10.6L/min. | 005669 |
| 12V | 45psi | 10.6L/min. (Retail pack) | 005685 |
| 24v | 30psi | 10.6L/min | 005695 |

SHURflo CLASSIC SERIES
PUMPS FITTINGS


Nut and tail to suit 12mm hose.

| | |
|----------|---------------|
| 90° Bent | 005404 |
| Straight | 005408 |

SHURflo AQUA KING AUTO
PUMP


Quiet, durable and reliable. Designed and built specifically for the harsh marine environment. Sealed switches and seamless e-coated motors. 55psi 11.35L/min.

| | |
|-----|---------------|
| 12V | 034439 |
| 24v | 034441 |

SHURflo CLASSIC SERIES
STRAINER


Fits directly to the inlet of all Classic and Aqua King pumps. The transparent design allows for easy visual check while the bowl allows easy cleaning. 1/2" pipe inlet. **005672**

SHURflo EXTREME SERIES
STRAINER


It is recommended that a strainer be used on the inlet side of all pumps to ensure protection from debris in the water. The Extreme Series is easy to install and even easier to clean. **005687**

SHURflo ACCUMULATOR
TANK


Pre-pressurised to 25psi, cycling pulsation is reduced and pressure spikes up to 125psi increasing the life of the pump and saving battery power. **034387**

SHURflo WASHDOWN PUMP BLASTER



Rugged and self-priming. Perfect for tough washdown applications such as fish box, scaling and anchor chain cleaning. Delivers high lift, can run dry without damage and will not overheat with extended use. Supplied with spray nozzle. Retail pack. 45psi 13.2L/min

12V **034384**
24v **005604**

SHURflo RAW WATER STRAINERS



It is recommended that a raw water strainer is fitted on the inlet side of all washdown and livewell pumps. A mesh screen protects pumps from harmful debris. Includes a high capacity, rugged nylon housing with clear twist off bowl.

1/2" **005791**
3/4" **005793**
1" **005795**
1 1/4" **005796**

SHURflo HOSE ADAPTOR



Has swivel 1/2" NPT female thread that can screw straight onto the outlet side of the Blaster and Pro-Blaster Washdown pumps and a 3/4" male thread to allow hook up to hose. **034388**

SHURflo IN LINE CHECK VALVE



Allows flow in one direction only to safeguard against backsurge up to 100psi. 1/2" barb on both ends. **005789**



BREHA HAND SINK PUMPS



Self priming and simple to install. Water is supplied on both up and down strokes. Fits a sink with a 32mm mounting hole.

Standard Black **005542**
Standard White **005543**
Short barrel White **005546**
Top plunger seal **005554**
Bottom plunger seal **005555**

TROJAN HAND PUMPS



Quiet easy operation. Water is supplied on both up and down strokes. Nylon body and anodised aluminium barrel. Mounting hole is 32mm dia.

White **005550**
Black **005551**
Gold **005552**

Spare Parts

Top U seal **005558**
Retaining washer **005562**
Piston U seal **005559**
Bottom nut assembly **005561**
Washer replacement kit **005563**

TROJAN MULTI PURPOSE PUMP



Suitable for most corrosive liquids found in household, agricultural and light industrial applications. **035600**

**FLOJET 12V & 24v AUTO
PUMP 12L/MINUTE**

Delivers up to 12 ltr/minute without need for an accumulator tank. Special internal bypass feature eliminates pulsating water and pressure switch chatter. Runs dry without harm to the pump. 12V **005727**

12V with strainer 1/2" barb **005702**

24v with strainer 1/2" barb **005703**

**FLOJET 12V AUTOMATIC
PUMP 4.3L/MIN**

Self priming. Dry running. Soft, noise absorbing mounts. Snap-in port fittings. Smooth operation without accumulator tank. Built in pulsation eliminator. Sealed motor. Weighs only 1.6kg. Delivers 4.3L/min at up to 50 psi of pressure. **005733**

**FLOJET 12V TRIPLEX
2.9GPM PUMP**

Self priming. Dry running. Very compact. Weighs .6kg. Complete with 3/8 barbs. Delivers 4.3L/min. **005700**

FLOJET SPARES

Quad Port 12mm hose barb elbow **005704**

Quad Port 12mm hose barb straight **005705**

Quad Port male qest elbow **005707**

Quad Port male qest straight **005711**

Diaphragm Kit **005715**

Pressure Switch Kit **005716**

LOW BOY TRIPLE ACTION PUMP

Combination hand pump, mains pressure and 12V electric pump. Low silhouette suitable for fold down campers. **005578**

**Whale GP99 12V IN LINE
BOOSTER PUMP**

Simple, compact, low-cost and lightweight. Fits unsupported into pipework or below water tank. Ideal for up to two mixer outlets. Boosts pressure in manual or electric pump systems. Pumps fresh water, salt water and diesel. Low current draw. Length 133mm, output 12L/min. Weight 150g **005753**

**Whale 12V
SUBMERSIBLE
PUMPS**

Self venting design eliminates air locking. Designed to be dropped into a water tank. Does not require priming. Simple, compact and low cost pump. Ideal for up to two mixer outlets and suitable for dual purpose manual/ electric system. Inexpensive way to update a manual to an electric system. Pumps fresh water, salt water and diesel. Very quiet.

**GP8815**

116.5mm (l) Output 12 IL/min, Weighs 150g

Retail pack **035605**

**GP9216**

Most powerful pump in the range.

160mm (l) Output 15L/min.

Weights 200g **005751**

**Whale TIPTOE FOOT
PUMP**

Designed for neat, through-floor mounting. When not in use, the plunger locks down. Output: 7L/min. Weighs 370g **005580**
Service kit **005581**

**Whale TELESCOPIC
SWIVEL FAUCET**

Use with foot pumps to conserve space. Swivels through 360° and can be pushed down when not in use. White. **005937**

**Whale TUCKAWAY
FAUCET**

Great space saver. Fits into wall of the sink and folds down neatly for storage

White. With on/off switch. **005938**

White. **005939**

**Whale PRESSURE
SWITCH**

When fitted in-line provides a convenient way to create a pressure system with an electric pump without its own switch.

Current rating - 10A, 12V-24v. Cut outpressure - within range 5-25psi **005754**

**Whale NON RETURN
VALVES**

When fitted in line on the suction side of a pump, Whale non-return valves will ensure maintenance of prime, particularly if pump valves are weak. Suit 12.5mm ID Hose.

PVC **005785**

SHURflo WATERGUARD FILTRATION



Designed for both RV and marine applications. Reduces unpleasant tastes and odours. Provides fresh, clean drinking water. Supplied complete with all parts and fittings including carbon block disposable filter. Quick and easy to install.

Replacement cartridge **036794**

Whale AQUASOURCE WATER FILTER



An inline water filter to be fitted in the cold water pipe. Very efficient as it filters the water you drink rather than all water. When fitted as recommended the filter will remove foreign bodies and dirt particles, as well as unpleasant smells. Disposable.

026528

FLOJET FILTERS



12mm barb. 90° quad **005706**

12mm barb-barb **005712**

12.5mm Theaded suits Quad Port **005713**


12mm Barb-Barb In line **005724**

IN LINE FILTER



1/2" hose or screw on fittings. **005403**

FIAMMA ACCUMULATOR TANK A20



May be used with most pump systems and may be mounted in any position.
235mm (l) 150mm (w) 100mm (h) **035603**

CAMEC FRESH WATER TANK PLASTIC 55L



960mm (l) 470mm (w) 175mm (rear depth)
185mm (front depth) **006086**

Spare tee **006088**

AL-KO FRESH WATER TANK PLASTIC 52L (11.5G)



1010mm (l) 330mm (w) 175mm (d) **006089**

CAMPER VAN FRESH WATER TANK PLASTIC 57L



760mm (l) 355mm (w) 230mm (d)
No barbs. **006096**

FRESH WATER TANK ROUNDED CORNERS PLASTIC 61L (13.5G)



895mm (l) 480mm (w) 165mm (d) **006097**

Mounting Brackets **035609**

FRESH WATER TANK PLASTIC 70L



850mm (l) 520mm (w) 160mm (d)
No barbs. **006099**

Mounting Brackets **035610**

FRESH WATER TANK PLASTIC 86L (19G)



850mm (l) 520mm (w) 220mm (d) **006100**

Tandem B Secondary Front Tank **006101**

Tandem A Primary Rear Tank **006102**

Mounting Brackets **035611**

FRESH WATER TANK PLASTIC 100L (22G)




940mm (l) 620mm (w) x 180mm (d) **006104**

Tandem B Secondary Front Tank **006105**

Tandem A Primary Rear Tank **006106**

Mounting Brackets **035612**

CAMEC HEAVY DUTY FRESH WATER TANK PLASTIC 65L



Seamless construction. 9mm
870mm (l) 600mm (w) 180mm (d) **006111**

**FRESH WATER TANK
PLASTIC 127L (28G)**

| | |
|-------------------------------|---------------|
| 955mm (l) 790mm (w) 170mm (d) | 006107 |
| Tandem B Secondary Front Tank | 006108 |
| Tandem A Primary Rear Tank | 006109 |
| Mounting Brackets | 035613 |

**FRESH WATER TANK
PLASTIC 82L**

| | |
|--------------------------------|---------------|
| 1220mm (l) 490mm (w) 190mm (d) | 033423 |
| Director 13mm Barb x 1/2" MBSP | 005356 |
| Plug 1/2" BSPT | 033427 |
| 10mm Barb x 3/4" MBSP Breather | 006083 |

**FIAMMA 70 LITRE FRESH
WATER TANK**

Complete with all installation fittings. Water inlet pipe 38mm and air outlet 13mm. 240mm (h) 700mm (l) 470mm (d) **006110**

**FRESH WATER TANK
PLASTIC 59L**

| | |
|--------------------------------|---------------|
| 865mm (l) 490mm (w) 190mm (d) | 033422 |
| Director 13mm Barb x 1/2" MBSP | 005356 |
| Plug 1/2" BSPT | 033427 |
| 10mm Barb x 3/4" MBSP Breather | 006083 |

TANK SENDER PROBE KIT

For deeper tanks. 5 probes are mounted into the side of the tank (fresh or grey water only). Supplied with wiring kit, one junction box and 5m lead. **006116**

**RV TRAVELLER LED TANK
GAUGES**

Simple monitoring of fresh or grey water. Incorporates its own battery power supply and no connection to vehicle's power supply is required. One kit per tank required.

| | |
|--------------------------|---------------|
| 1 tank | 006118 |
| 2 tanks | 006119 |
| 3 tanks | 006120 |
| 2 gauges waste and water | 006121 |

RV WATER GAUGES

You now have the ability to customise the kits to suit your requirements with a range of single tank, double tank and triple tank gauges to be matched with a 2.5 metre, 5 metre or 7.5 metre lead sender probes. With one push on the test button you can check the water level of up to three tanks.

**White**

| | |
|-------------------|---------------|
| Single Tank Gauge | 040276 |
| Double Tank Gauge | 040278 |
| Triple Tank Gauge | 040280 |

Black

| | |
|-------------------|---------------|
| Single Tank Gauge | 040277 |
| Double Tank Gauge | 040279 |
| Triple Tank Gauge | 040281 |

Sender Probes

| | |
|------|---------------|
| 2.5m | 040282 |
| 5m | 040283 |
| 7.5m | 040284 |

WATER LEVEL INDICATOR

Accurately displays the water level in tanks. Easy installation - fits existing water tanks with no removal of water tank required. Complete with all hardware including battery and 5m lead.

| | | |
|---------------------|---------------|---------------|
| Aqua/White | c/w 2.5m lead | 006132 |
| Burgundy/White | c/w 2.5m lead | 035614 |
| Aqua/White | c/w 5m lead | 006134 |
| 2.5m Extension Lead | | 006133 |

**JRV FRESH WATER TANK
MONITOR**

Single monitor panel with LED graphics. Water pump switch. 98mm (h) 117mm (w)

| | |
|-------|---------------|
| Black | 006139 |
| White | 006141 |

**JRV FRESH/GREY WATER OR
HOLDING TANK MONITORS**

Single monitor panel. Water pump switch. 98mm (h) 117mm (w) Black. **006144**

**JRV FRESH WATER/HOLDING
TANK MONITOR**

For fresh water and holding tanks. Water pump switch. 98mm (h) 117mm (w) Black. **006147**

10mm BREATHER ELBOW

Suitable for Camec water tanks **006083**

BARBED PLUG AND OUTLET



1/2" B x 3/8" BSP

Barbed outlet

006079

Barbed plug

006080

CAMEC TANK DRAIN TAP



3/8" BSP male x 1/2" male barb

006081

TANK KLEEN



Cleans and deodorises freshwater tanks. An effective remedy for water tainting problems. Treats up to 182L. 200g.

000261

MICROPUR FLUID



For safe drinking water. 100ml bottle will treat 1000 ltr of water. Odourless, tasteless and harmless, even when used in excess of recommended level.

000262

AQUATABS PURIFYING TABS



Fast dissolving, fast acting, effervescent water purification tablets. 1 tablet/1L water. Pack of 50.

000263

WATER TANK CLEAN - FRESH TABS



To clean out fresh water tanks and systems after storage and before use.

000264

CAMEC LOCKABLE WATER FILLERS



Lockable water filler supplied with 2 keys. Flap door opens 180 degrees to be flush with RV wall. Same footprint as previous Camec water filler. Available in both left and right hand hinged flap door. One piece filler neck. 25mm barb on filler neck. 10mm barb on breather. Camec one key fits all barrel housing.

White Right Hand Hinged

039945

White Left Hand Hinged

040269

Black Right Hand Hinged

039946

Black Left Hand Hinged

040270

LOCKING WATER FILLER WF450



Square white plastic with 14mm (d) surface mounting. Overall size 140mm x 140mm with cutout size of 100mm dia.

006165

Cap and strap

006166

WATER FILLER WITH HINGED LID



White plastic with hinged flap cap

006173

Spare flap

006174

RECESSED WATER FILLER WITH SCREW ON CAP



White

006176



LOCKING WATER FILLER



25mm reducer.

Black

006169

White

006170

MAINS PRESSURE REDUCER 4 TO 1



035619



MAINS PRESSURE REGULATOR



The diaphragm design prevents high-pressure damage often caused by city water systems. Leak tight, stress and crack resistant. Water pressure is limited to 50psi. Wall mounted.

White Bulk Pack

006154

Chrome Retail Pack

006156



IN LINE WATER ENTRY



An in-line version of the Mains Pressure Regulator. The NPT male end screws directly onto the SHURflo city water entry regulator with the other end suitable for a Gardena snap on hose fitting.

006158